

Report: Gasbeschaffenheiten je Ausspeise-Messstelle

Zeitraum: 01.05.2025/06 - 01.06.2025/06

Erstellt: 11.06.2025 15:18:41

Zaehlpunkt (MeLo)	Monat	Hseff	Rhon	CO2
DE70021907646000UEBERGABE0TENG000	Mai 25	11,51	0,7866	1,057
DE70021907646000UEBERGABE2TENG000	Mai 25	11,513	0,7866	1,053
DE70022599974SWMHLOGOERMAR010PN25	Mai 25	11,538	0,8095	1,463
DE70022599974SWMHLOGOERMAR020PN25	Mai 25	11,538	0,8095	1,463
DE70022599974SWMHLOWEINBERG00PN16	Mai 25	11,48	0,7901	1,253
DE70022599974SWMHLOWENDEWEHR0PN16	Mai 25	11,173	0,7458	0,394
DE70023107950GTRIEBES000000000000	Mai 25	11,477	0,7841	1,041
DE7002790463900000000000000002907	Mai 25	11,534	0,7871	1,032
DE7002790463900000000000000002914	Mai 25	11,534	0,7871	1,032
DE7002790664800000000000000000145	Mai 25	11,541	0,8012	1,267
DE70027906712000000000000000000181	Mai 25	11,532	0,7875	1,04
DE70027906712000000000000000000194	Mai 25	11,532	0,7875	1,04
DE70027906722000000000000000000358	Mai 25	11,529	0,7868	1,031
DE70027906722000000000000000000359	Mai 25	11,534	0,7872	1,037
DE70027906722RG505862990000801572	Mai 25	11,534	0,7872	1,037
DE70027907333RG503682760000948457	Mai 25	11,52	0,7854	1,022
DE70027907334000000000000000000352	Mai 25	11,519	0,7868	1,045
DE70027907334RG506239720000819108	Mai 25	11,519	0,7868	1,045
DE700279073380000000000000000000281	Mai 25	11,548	0,8074	1,411
DE70027907343000000000000000000258	Mai 25	11,548	0,8074	1,411
DE70027907343000000000000000000260	Mai 25	11,548	0,8074	1,411
DE70027907356000000000000000000570	Mai 25	11,548	0,8074	1,411
DE70027907356000000000000000000580	Mai 25	11,548	0,8074	1,411
DE70027907356000000000000000000581	Mai 25	11,548	0,8074	1,411
DE70027907356000000000000000000582	Mai 25	11,548	0,8074	1,411
DE70027907356RG502799770000928010	Mai 25	11,548	0,8074	1,411
DE70027907356RG503235000000854443	Mai 25	11,548	0,8074	1,411
DE700279073680000000000000000001973	Mai 25	11,548	0,8074	1,411
DE700279073680000000000000000001978	Mai 25	11,548	0,8074	1,411
DE700279073680000000000000000001979	Mai 25	11,548	0,8074	1,411
DE70027907387000000000000000000368	Mai 25	11,52	0,7854	1,022
DE70027907387000000000000000000371	Mai 25	11,52	0,7854	1,022
DE700279073870000000000000000001251	Mai 25	11,52	0,7854	1,022
DE70027907407000000000000000000870	Mai 25	11,561	0,797	1,206
DE70027907407000000000000000000876	Mai 25	11,541	0,7948	1,169
DE70027907407000000000000000000880	Mai 25	11,561	0,797	1,206
DE700279074220000000000000000001587	Mai 25	11,553	0,7969	1,196
DE700279074220000000000000000001606	Mai 25	11,553	0,7969	1,196
DE700279074220000000000000000001607	Mai 25	11,551	0,7976	1,21
DE700279074220000000000000000001609	Mai 25	11,551	0,7976	1,21
DE700279074220000000000000000001610	Mai 25	11,551	0,7976	1,21
DE700279074220000000000000000001654	Mai 25	11,551	0,7976	1,21
DE70027907422RG502795790000887106	Mai 25	11,553	0,7969	1,196
DE700279074260000000000000000001568	Mai 25	11,554	0,7971	1,205
DE700279074260000000000000000001569	Mai 25	11,554	0,7971	1,205
DE700279074260000000000000000001607	Mai 25	11,554	0,7971	1,205
DE70027907554000000000000000000727	Mai 25	11,534	0,7876	1,041
DE70027907554RG506256680000826294	Mai 25	11,534	0,7876	1,041
DE70027907570000000000000000000953	Mai 25	11,475	0,7836	1,033
DE70027907570000000000000000000955	Mai 25	11,478	0,7841	1,043
DE70027907570RG501729270000974964	Mai 25	11,478	0,7841	1,043
DE70027907570RG503920130000931525	Mai 25	11,475	0,7836	1,033
DE700279075800000000000000000001806	Mai 25	11,534	0,7872	1,035
DE700279075800000000000000000001816	Mai 25	11,538	0,7877	1,037
DE700279075800000000000000000001818	Mai 25	11,538	0,7877	1,037
DE700279075800000000000000000001819	Mai 25	11,534	0,7872	1,035
DE700279075800000000000000000001820	Mai 25	11,529	0,7872	1,035
DE700279075800000000000000000001911	Mai 25	11,534	0,7872	1,035
DE700279075800000000000000000001914	Mai 25	11,534	0,7872	1,035
DE70027907580RG504322200000908722	Mai 25	11,534	0,7872	1,035
DE70027907580RG504322200000908837	Mai 25	11,534	0,7872	1,035
DE70027907580RG504322200000971034	Mai 25	11,534	0,7872	1,035
DE70027907580RG504522800000981741	Mai 25	11,534	0,7872	1,035
DE70027907580RG506291850000834542	Mai 25	11,534	0,7872	1,035
DE70027907586000000000000000000771	Mai 25	11,532	0,787	1,034
DE70027907586000000000000000000773	Mai 25	11,529	0,7872	1,035
DE70027907586000000000000000000774	Mai 25	11,532	0,787	1,034
DE70027907586000000000000000000835	Mai 25	11,532	0,7867	1,028

Report: Gasbeschaffenheiten je Ausspeise-Messstelle

Zeitraum: 01.05.2025/06 - 01.06.2025/06

Erstellt: 11.06.2025 15:18:41

Zaehlpunkt (MeLo)	Monat	Hseff	Rhon	CO2
DE7002790758900000000000000000275	Mai 25	11,492	0,7846	1,041
DE7002790758900000000000000000288	Mai 25	11,492	0,7846	1,041
DE7002790758900000000000000000289	Mai 25	11,492	0,7846	1,041
DE70027907589RG501389040000970072	Mai 25	11,492	0,7846	1,041
DE7002790760700000000000000000326	Mai 25	11,533	0,7876	1,047
DE7002790760700000000000000000327	Mai 25	11,533	0,7876	1,047
DE7002790761300000000000000000263	Mai 25	11,529	0,7872	1,035
DE7002790761300000000000000000264	Mai 25	11,529	0,7872	1,035
DE7002790761300000000000000000279	Mai 25	11,533	0,7876	1,047
DE7002790761300000000000000000280	Mai 25	11,533	0,7876	1,047
DE7002790761300000000000000000281	Mai 25	11,533	0,7876	1,047
DE7002790761300000000000000000282	Mai 25	11,533	0,7876	1,047
DE7002790761300000000000000000283	Mai 25	11,529	0,7872	1,035
DE7002790761300000000000000000285	Mai 25	11,529	0,7872	1,035
DE7002790761300000000000000000286	Mai 25	11,533	0,7876	1,047
DE7002790761300000000000000000290	Mai 25	11,529	0,7872	1,035
DE70027907613RG504410200000950074	Mai 25	11,534	0,7872	1,04
DE7002790761600000000000000000638	Mai 25	11,538	0,8011	1,276
DE70027907629000000000000000001392	Mai 25	11,492	0,7846	1,038
DE70027907629000000000000000001393	Mai 25	11,519	0,7866	1,04
DE70027907629000000000000000001395	Mai 25	11,519	0,7866	1,04
DE70027907629000000000000000001396	Mai 25	11,519	0,7866	1,04
DE70027907629000000000000000001397	Mai 25	11,519	0,7866	1,04
DE70027907629000000000000000001398	Mai 25	11,492	0,7846	1,038
DE70027907629000000000000000001402	Mai 25	11,519	0,7866	1,04
DE70027907629000000000000000001478	Mai 25	11,519	0,7866	1,04
DE70027907629RG504269690000884785	Mai 25	11,533	0,7885	1,057
DE70027907629RG504433200000957258	Mai 25	11,519	0,7866	1,04
DE70027907629RG504518630000980507	Mai 25	11,519	0,7866	1,04
DE70027907629RG504525000000820534	Mai 25	11,519	0,7866	1,04
DE70027907639000000000000000000921	Mai 25	11,519	0,7866	1,04
DE70027907639000000000000000000923	Mai 25	11,519	0,7866	1,04
DE70027907639000000000000000000924	Mai 25	11,519	0,7866	1,04
DE70027907639RG503997230000864954	Mai 25	11,519	0,7866	1,04
DE70027907646000000000000000000206	Mai 25	11,513	0,7866	1,053
DE70027907646RG504667210000698335	Mai 25	11,51	0,7861	1,046
DE70027907747RG504342280000917807	Mai 25	11,511	0,7862	1,047
DE70027907751000000000000000002119	Mai 25	11,511	0,7859	1,041
DE70027907751000000000000000002120	Mai 25	11,511	0,7862	1,047
DE70027907751000000000000000002232	Mai 25	11,522	0,7952	1,306
DE70027907751RG504461110000965580	Mai 25	11,511	0,7862	1,047
DE70027907751RG506223120000804499	Mai 25	11,508	0,7861	1,04
DE70027907768000000000000000002220	Mai 25	11,51	0,7856	1,035
DE70027907768000000000000000002222	Mai 25	11,51	0,7856	1,035
DE70027907768RG501800230000836830	Mai 25	11,51	0,7856	1,035
DE70027907768RG502700360000952511	Mai 25	11,51	0,7856	1,035
DE70027907774000000000000000000364	Mai 25	11,538	0,8009	1,267
DE70027907819000000000000000000825	Mai 25	11,306	0,7747	1,044
DE70027907819000000000000000000967	Mai 25	11,306	0,7747	1,044
DE70027907819000000000000000000970	Mai 25	11,306	0,7747	1,044
DE70027907819000000000000000000972	Mai 25	11,306	0,7747	1,044
DE70027907819000000000000000000974	Mai 25	11,306	0,7747	1,044
DE70027907819000000000000000000976	Mai 25	11,306	0,7747	1,044
DE70027907819000000000000000001007	Mai 25	11,306	0,7747	1,044
DE70027907819RG501710930000957322	Mai 25	11,306	0,7747	1,044
DE70027907819RG502708320000915787	Mai 25	11,306	0,7747	1,044
DE70027907907000000000000000000330	Mai 25	11,485	0,7845	1,039
DE70027907907000000000000000000331	Mai 25	11,485	0,7845	1,039
DE70027907907000000000000000001189	Mai 25	11,485	0,7845	1,039
DE70027907907000000000000000001228	Mai 25	11,485	0,7845	1,039
DE70027907907000000000000000001238	Mai 25	11,486	0,7854	1,053
DE70027907907000000000000000001243	Mai 25	11,326	0,7512	0,283
DE70027907907000000000000000001260	Mai 25	11,485	0,7845	1,039
DE70027907907000000000000000002004	Mai 25	11,485	0,7845	1,039
DE70027907907RG506217380000820526	Mai 25	11,485	0,7845	1,039
DE70027907919RG501705350000958065	Mai 25	11,498	0,7849	1,027
DE70027907955000000000000000000472	Mai 25	11,305	0,7744	1,038
DE70027907958000000000000000000152	Mai 25	11,476	0,7839	1,04

Report: Gasbeschaffenheiten je Ausspeise-Messstelle

Zeitraum: 01.05.2025/06 - 01.06.2025/06

Erstellt: 11.06.2025 15:18:41

Zaehlpunkt (MeLo)	Monat	Hseff	Rhon	CO2
DE70027907980RG501391630000891752	Mai 25	11,476	0,7842	1,044
DE70027907987RG504343380000918588	Mai 25	11,538	0,7877	1,037
DE700279965230000000000000001782	Mai 25	11,515	0,787	1,053
DE700279965230000000000000001784	Mai 25	11,518	0,7865	1,043
DE700279965230000000000000001798	Mai 25	11,518	0,7865	1,043
DE700279965240000000000000002222	Mai 25	11,521	0,7861	1,033
DE700279965240000000000000002225	Mai 25	11,543	0,8074	1,411
DE700279965240000000000000002228	Mai 25	11,543	0,8074	1,411
DE700279965240000000000000002246	Mai 25	11,543	0,8074	1,411
DE700279965240000000000000002269	Mai 25	11,543	0,8074	1,411
DE7002799652800000000000000000381	Mai 25	11,517	0,7872	1,056
DE7002799652800000000000000000841	Mai 25	11,517	0,7872	1,056
DE7002799652800000000000000000846	Mai 25	11,517	0,7872	1,056
DE7002799652800000000000000000847	Mai 25	11,517	0,7872	1,056
DE7002799652800000000000000000849	Mai 25	11,517	0,7872	1,056
DE7002799652800000000000000000850	Mai 25	11,517	0,7872	1,056
DE70027996528RG505085880000799845	Mai 25	11,517	0,7872	1,056
DE70027998530000000000000000000058	Mai 25	11,473	0,7916	1,136
DE70027998530RG501665980000854378	Mai 25	11,473	0,7916	1,136
DE70027998547000000000000000000680	Mai 25	11,473	0,7916	1,136
DE70027998547000000000000000000684	Mai 25	11,473	0,7916	1,136
DE70027998553000000000000000002487	Mai 25	11,519	0,7866	1,044
DE70027998553000000000000000002497	Mai 25	11,519	0,7866	1,044
DE70027998553000000000000000002499	Mai 25	11,519	0,7866	1,044
DE70027998553000000000000000002501	Mai 25	11,519	0,7866	1,044
DE70027998553000000000000000002504	Mai 25	11,519	0,7866	1,044
DE70027998553RG503299400000717105	Mai 25	11,519	0,7866	1,044
DE70027998617000000000000000001261	Mai 25	11,566	0,8102	1,489
DE70027998617000000000000000001262	Mai 25	11,566	0,8102	1,489
DE70027998617000000000000000001263	Mai 25	11,568	0,8099	1,485
DE70027998617RG500800620000840224	Mai 25	11,566	0,8102	1,489
DE70027998617RG504435380000958167	Mai 25	11,566	0,8102	1,489
DE70027998631000000000000000000477	Mai 25	11,568	0,8096	1,472
DE70027998631000000000000000000484	Mai 25	11,568	0,8096	1,472
DE70027998631000000000000000000530	Mai 25	11,569	0,8094	1,474
DE70027998631000000000000000000535	Mai 25	11,569	0,8094	1,474
DE70027998631RG506204010000805672	Mai 25	11,569	0,8094	1,474
DE70027998634000000000000000000479	Mai 25	11,473	0,7916	1,136
DE70027998634RG500517430000884629	Mai 25	11,473	0,7916	1,136
DE70027998634RG500517430000985177	Mai 25	11,473	0,7916	1,136
DE70027998634RG50163830000901493	Mai 25	11,473	0,7916	1,136
DE70027998639000000000000000000341	Mai 25	11,473	0,7916	1,136
DE70027998639000000000000000000349	Mai 25	11,473	0,7916	1,136
DE700279986460000000000000000002390	Mai 25	11,516	0,7874	1,061
DE700279986460000000000000000002406	Mai 25	11,516	0,7874	1,061
DE700279986460000000000000000002409	Mai 25	11,516	0,7874	1,061
DE700279986460000000000000000002422	Mai 25	11,516	0,7874	1,061
DE700279986460000000000000000002424	Mai 25	11,516	0,7874	1,061
DE700279986460000000000000000002426	Mai 25	11,516	0,7874	1,061
DE700279986460000000000000000002428	Mai 25	11,516	0,7874	1,061
DE700279986460000000000000000002465	Mai 25	11,516	0,7874	1,061
DE700279986460000000000000000002496	Mai 25	11,516	0,7874	1,061
DE700279986460000000000000000002505	Mai 25	11,516	0,7874	1,061
DE70027998646RG501280230000967718	Mai 25	11,516	0,7874	1,061
DE70027998646RG501551530000921005	Mai 25	11,516	0,7874	1,061
DE70027998646RG501603620000972331	Mai 25	11,516	0,7874	1,061
DE70027998660000000000000000000548	Mai 25	11,575	0,8119	1,524
DE70027998660000000000000000000555	Mai 25	11,575	0,8119	1,524
DE70027998663000000000000000000032	Mai 25	11,52	0,7893	1,093
DE70027998666000000000000000000514	Mai 25	11,514	0,7885	1,072
DE70027998666RG500292760000979320	Mai 25	11,514	0,7885	1,072
DE70027998666RG500292760000981515	Mai 25	11,514	0,7885	1,072
DE70027998666RG500863830000990997	Mai 25	11,514	0,7885	1,072
DE70027998666RG506170060000723651	Mai 25	11,514	0,7885	1,072
DE70027998667000000000000000000620	Mai 25	11,521	0,7873	1,054
DE70027998667000000000000000000622	Mai 25	11,521	0,7873	1,054
DE70027998667000000000000000000623	Mai 25	11,521	0,7873	1,054
DE70027998669000000000000000000078	Mai 25	11,517	0,7871	1,053

Report: Gasbeschaffenheiten je Ausspeise-Messstelle

Zeitraum: 01.05.2025/06 - 01.06.2025/06

Erstellt: 11.06.2025 15:18:41

Zaehlpunkt (MeLo)	Monat	Hseff	Rhon	CO2
DE7002799867300000000000000000770	Mai 25	11,518	0,7863	1,038
DE7002799867300000000000000000807	Mai 25	11,516	0,7868	1,048
DE7002799867300000000000000000816	Mai 25	11,518	0,7863	1,038
DE70027998673000000000000000001240	Mai 25	11,519	0,7867	1,045
DE70027998673RG504255080000877769	Mai 25	11,521	0,7849	1,014
DE70027998673RG504437880000959170	Mai 25	11,518	0,7863	1,038
DE70027998673RG504523430000981972	Mai 25	11,518	0,7863	1,038
DE70027998701000000000000000001850	Mai 25	11,514	0,7885	1,072
DE70027998701000000000000000001853	Mai 25	11,514	0,7885	1,072
DE70027998701000000000000000001868	Mai 25	11,514	0,7885	1,072
DE70027998704000000000000000001499	Mai 25	11,514	0,7885	1,072
DE70027998704RG501001350000908780	Mai 25	11,554	0,7965	1,2
DE70027998708000000000000000001074	Mai 25	11,514	0,7885	1,072
DE70027998708000000000000000001077	Mai 25	11,514	0,7885	1,072
DE70027998708000000000000000001078	Mai 25	11,514	0,7885	1,072
DE70027998716000000000000000001786	Mai 25	11,545	0,7962	1,204
DE70027998716000000000000000001787	Mai 25	11,545	0,7962	1,204
DE70027998716RG504426260000955301	Mai 25	11,545	0,7962	1,204
DE700279987240000000000000000003202	Mai 25	11,518	0,7857	1,026
DE700279987240000000000000000003203	Mai 25	11,519	0,7856	1,024
DE700279987240000000000000000003204	Mai 25	11,518	0,7857	1,026
DE700279987240000000000000000003238	Mai 25	11,516	0,786	1,032
DE70027998724RG503940700000806044	Mai 25	11,519	0,7855	1,023
DE70027998724RG505082560000821376	Mai 25	11,518	0,7857	1,026
DE70027998724RG506210160000805763	Mai 25	11,518	0,7857	1,026
DE70027998739000000000000000001298	Mai 25	11,519	0,7858	1,026
DE70027998743000000000000000001156	Mai 25	11,519	0,7858	1,026
DE70027998743000000000000000001157	Mai 25	11,518	0,7873	1,059
DE70027998743000000000000000001177	Mai 25	11,518	0,7873	1,059
DE70027998743RG502655820000903530	Mai 25	11,518	0,7873	1,059
DE70027998744000000000000000001138	Mai 25	11,514	0,7885	1,072
DE70027998749000000000000000000766	Mai 25	11,514	0,7875	1,062
DE70027999100000000000000000000433	Mai 25	11,532	0,8072	1,408
DE70027999100000000000000000000434	Mai 25	11,533	0,8076	1,416
DE70027999100000000000000000000435	Mai 25	11,532	0,8072	1,408
DE70027999100000000000000000000512	Mai 25	11,533	0,8076	1,416
DE70027999100RG502898050000891201	Mai 25	11,533	0,8076	1,416
DE70027999100RG503075720000904783	Mai 25	11,537	0,8074	1,416
DE70027999189000000000000000001854	Mai 25	11,53	0,8079	1,423
DE70027999189000000000000000001856	Mai 25	11,534	0,8076	1,423
DE70027999189000000000000000001858	Mai 25	11,53	0,8079	1,423
DE70027999189000000000000000001859	Mai 25	11,53	0,8079	1,423
DE70027999189000000000000000001889	Mai 25	11,534	0,8075	1,412
DE70027999189000000000000000001891	Mai 25	11,53	0,8079	1,423
DE70027999189000000000000000001892	Mai 25	11,53	0,8079	1,423
DE70027999189000000000000000002009	Mai 25	11,53	0,8079	1,423
DE70027999189RG500544790000801785	Mai 25	11,534	0,8076	1,423
DE70027999189RG505902360000820354	Mai 25	11,534	0,8076	1,423
DE70027999189RG506231460000820533	Mai 25	11,534	0,8076	1,423
DE70027999189RG506311550000837153	Mai 25	11,534	0,8075	1,412
DE70027999192000000000000000001972	Mai 25	11,548	0,7962	1,198
DE70027999192000000000000000001973	Mai 25	11,548	0,7962	1,198
DE70027999192000000000000000001974	Mai 25	11,548	0,7962	1,198
DE70027999192000000000000000001976	Mai 25	11,549	0,7966	1,203
DE70027999192000000000000000001982	Mai 25	11,548	0,7962	1,198
DE70027999198000000000000000001355	Mai 25	11,52	0,8036	1,33
DE70027999198000000000000000001356	Mai 25	11,447	0,7898	1,314
DE70027999198000000000000000001357	Mai 25	11,3	0,7961	1,966
DE70027999310000000000000000000900	Mai 25	11,537	0,795	1,203
DE70027999310000000000000000000901	Mai 25	11,541	0,7957	1,202
DE70027999310000000000000000000955	Mai 25	11,546	0,7961	1,198
DE70027999310RG501486740000877507	Mai 25	11,541	0,7957	1,202
DE70027999310RG502496510000898867	Mai 25	11,537	0,795	1,203
DE70027999326000000000000000001740	Mai 25	11,444	0,7879	1,301
DE70027999326000000000000000001742	Mai 25	11,43	0,7894	1,342
DE70027999326000000000000000001744	Mai 25	11,43	0,7894	1,342
DE70027999326RG506253300000817522	Mai 25	11,43	0,7894	1,342
DE70027999334000000000000000001689	Mai 25	11,546	0,7962	1,2

Report: Gasbeschaffenheiten je Ausspeise-Messstelle

Zeitraum: 01.05.2025/06 - 01.06.2025/06

Erstellt: 11.06.2025 15:18:41

Zaehlpunkt (MeLo)	Monat	Hseff	Rhon	CO2
DE7002799933400000000000000000001699	Mai 25	11,547	0,7959	1,191
DE7002799933400000000000000000001700	Mai 25	11,547	0,7959	1,191
DE7002799933400000000000000000001701	Mai 25	11,546	0,7961	1,198
DE7002799933400000000000000000001704	Mai 25	11,547	0,7959	1,191
DE7002799933400000000000000000001705	Mai 25	11,547	0,7959	1,191
DE7002799933400000000000000000001707	Mai 25	11,547	0,7959	1,191
DE7002799933400000000000000000001709	Mai 25	11,547	0,7959	1,191
DE7002799933400000000000000000001778	Mai 25	11,546	0,7962	1,2
DE70027999334RG504002850000920114	Mai 25	11,546	0,7962	1,2
DE70027999334RG504243740000873075	Mai 25	11,546	0,7962	1,2
DE70027999334RG504353600000924188	Mai 25	11,546	0,7962	1,2
DE70027999334RG504366990000948998	Mai 25	11,546	0,7962	1,2
DE70027999334RG504436300000958390	Mai 25	11,546	0,7962	1,2
DE70027999334RG504442120000960322	Mai 25	11,547	0,7959	1,191
DE70027999334RG504453860000963884	Mai 25	11,546	0,7962	1,2
DE70027999334RG504474680000969312	Mai 25	11,546	0,7962	1,2
DE70027999334RG505394980000815203	Mai 25	11,549	0,7969	1,207
DE70027999334RG506198200000798840	Mai 25	11,546	0,7962	1,2
DE70027999334RG506246010000823605	Mai 25	11,546	0,7962	1,2
DE70027999334RG506248900000815672	Mai 25	11,546	0,7962	1,2
DE7002799942800000000000000000001007	Mai 25	11,509	0,8015	1,286
DE7002799942800000000000000000001017	Mai 25	11,509	0,8015	1,286
DE7002799942800000000000000000001019	Mai 25	11,543	0,7925	1,132
DE7002799942800000000000000000001020	Mai 25	11,543	0,7925	1,132
DE7002799942800000000000000000001023	Mai 25	11,543	0,7925	1,132
DE7002799942800000000000000000001067	Mai 25	11,509	0,8015	1,286
DE7002799942800000000000000000001115	Mai 25	11,543	0,7925	1,132
DE70027999428RG50141190000920330	Mai 25	11,543	0,7925	1,132
DE70027999428RG504451790000963098	Mai 25	11,543	0,7925	1,132
DE70027999428RG505073200000801526	Mai 25	11,509	0,8015	1,286
DE70027999428RG505699080000820529	Mai 25	11,543	0,7925	1,132
DE7002799943800000000000000000002031	Mai 25	11,462	0,7902	1,291
DE7002799943800000000000000000002034	Mai 25	11,462	0,7902	1,291
DE7002799943800000000000000000002035	Mai 25	11,462	0,7902	1,291
DE7002799943800000000000000000002036	Mai 25	11,462	0,7902	1,291
DE7002799943800000000000000000002037	Mai 25	11,462	0,7902	1,291
DE7002799943800000000000000000002045	Mai 25	11,462	0,7902	1,291
DE70027999438RG506232610000815186	Mai 25	11,543	0,7881	1,032
DE70027999439RG500377450000917638	Mai 25	11,495	0,8041	1,457
DE70027999439RG503835370000955302	Mai 25	11,426	0,801	1,596
DE70027999441RG501009020000764123	Mai 25	10,662	0,7623	3,331
DE700279994440000000000000000000823	Mai 25	11,444	0,7892	1,315
DE700279994440000000000000000000838	Mai 25	11,444	0,7892	1,315
DE700279994440000000000000000000839	Mai 25	10,654	0,7616	3,345
DE700279994440000000000000000000843	Mai 25	11,444	0,7892	1,315
DE700279994440000000000000000000849	Mai 25	11,444	0,7892	1,315
DE700279994440000000000000000000852	Mai 25	10,654	0,7616	3,345
DE70027999444RG502570900000817761	Mai 25	11,444	0,7892	1,315
DE70027999444RG504227230000863109	Mai 25	11,444	0,7892	1,315
DE70027999444RG504227230000885562	Mai 25	11,444	0,7892	1,315
DE7002799944800000000000000000001249	Mai 25	11,437	0,7893	1,324
DE7002799944800000000000000000001250	Mai 25	11,436	0,7887	1,322
DE7002799951800000000000000000001309	Mai 25	11,54	0,8013	1,271
DE7002799951800000000000000000001317	Mai 25	11,54	0,8013	1,271
DE7002799951800000000000000000001318	Mai 25	11,54	0,8013	1,271
DE7002799951800000000000000000001321	Mai 25	11,54	0,8013	1,271
DE7002799951800000000000000000001328	Mai 25	11,54	0,8013	1,271
DE7002799962500000000000000000001283	Mai 25	11,409	0,7985	1,64
DE7002799962500000000000000000001284	Mai 25	11,409	0,7985	1,64
DE7002799962500000000000000000001288	Mai 25	11,409	0,7985	1,64
DE7002799962500000000000000000001309	Mai 25	11,409	0,7985	1,64
DE7002799962500000000000000000001316	Mai 25	11,409	0,7985	1,64
DE70027999625RG500588730000892955	Mai 25	11,409	0,7985	1,64
DE70027999625RG502135970000911722	Mai 25	11,409	0,7985	1,64
DE70027999625RG502135970000911723	Mai 25	11,409	0,7985	1,64
DE700279996310000000000000000000412	Mai 25	10,855	0,7773	3,203
DE700279996310000000000000000000413	Mai 25	10,855	0,7773	3,203
DE70027999631RG503530960000958682	Mai 25	10,855	0,7773	3,203

Report: Gasbeschaffenheiten je Ausspeise-Messstelle

Zeitraum: 01.05.2025/06 - 01.06.2025/06

Erstellt: 11.06.2025 15:18:41

Zaehlpunkt (MeLo)	Monat	Hseff	Rhon	CO2
DE70027999634RG501962510000893576	Mai 25	11,533	0,8068	1,409
DE7002799963800000000000000000158	Mai 25	10,59	0,769	3,984
DE70027999638RG503701500000933128	Mai 25	10,59	0,769	3,984
DE7002799971300000000000000000412	Mai 25	11,523	0,8058	1,381
DE7002799971800000000000000000978	Mai 25	10,875	0,7753	3,114
DE70027999718RG500827010000810033	Mai 25	10,866	0,7767	3,181
DE70027999718RG501129650000920283	Mai 25	11,536	0,7967	1,139
DE70027999718RG503473110000921107	Mai 25	11,536	0,7967	1,139
DE70027999718RG504558170001001460	Mai 25	10,866	0,7767	3,181
DE70027999735RG504313960000936484	Mai 25	11,539	0,801	1,267
DE70027999749000000000000000001600	Mai 25	11,539	0,801	1,272
DE70027999749000000000000000001609	Mai 25	11,539	0,801	1,272
DE70027999749000000000000000001610	Mai 25	11,539	0,801	1,272
DE70027999749000000000000000001612	Mai 25	11,539	0,801	1,272
DE70027999749000000000000000001613	Mai 25	11,539	0,801	1,272
DE70027999752000000000000000001611	Mai 25	11,539	0,801	1,272
DE70027999752RG501081560000865418	Mai 25	11,539	0,801	1,272
DE70027999752RG504318960000906931	Mai 25	11,539	0,801	1,272
DE70027999755000000000000000001921	Mai 25	9,942	0,7921	1,096
DE70027999755000000000000000001922	Mai 25	9,942	0,7921	1,096
DE70027999755000000000000000001929	Mai 25	11,537	0,801	1,269
DE70027999755000000000000000002003	Mai 25	11,536	0,8001	1,243
DE70027999755000000000000000002006	Mai 25	11,536	0,8001	1,243
DE70027999755RG501102750000878896	Mai 25	9,942	0,7921	1,096
DE70027999759000000000000000001072	Mai 25	11,538	0,8008	1,267
DE70027999759000000000000000001073	Mai 25	11,539	0,8008	1,267
DE70027999759000000000000000001080	Mai 25	11,539	0,8009	1,272
DE70027999759RG500564160000899822	Mai 25	11,539	0,8008	1,267
DE70027999759RG500564160000906906	Mai 25	11,539	0,8008	1,267
DE70027999762000000000000000001396	Mai 25	11,539	0,801	1,266
DE70027999762000000000000000001398	Mai 25	11,538	0,8009	1,265
DE70027999762RG505067850000825819	Mai 25	11,539	0,801	1,266
DE70027999765000000000000000001277	Mai 25	11,539	0,802	1,272
DE70027999765000000000000000001284	Mai 25	11,539	0,802	1,272
DE70027999765000000000000000001285	Mai 25	11,539	0,802	1,272
DE70027999765000000000000000001286	Mai 25	11,539	0,802	1,272
DE70027999768000000000000000000869	Mai 25	11,539	0,801	1,266
DE70027999817RG506255080000817752	Mai 25	11,539	0,8101	1,472
DE70027999947000000000000000001044	Mai 25	11,302	0,7952	1,915
DE70027999947RG503221100000866390	Mai 25	11,478	0,8085	1,416
DE70027999955000000000000000001618	Mai 25	11,53	0,8072	1,411
DE70027999958000000000000000000966	Mai 25	11,53	0,8073	1,413
DE70027999974RG506232340000822434	Mai 25	11,549	0,8066	1,94
DE70027999976000000000000000001716	Mai 25	11,301	0,7944	1,886
DE70027999976RG504309960000903145	Mai 25	11,305	0,7959	1,933
DE70027999986RG503320770000890872	Mai 25	11,306	0,7961	1,934
DE70027999991000000000000000000449	Mai 25	11,303	0,796	1,96
DE70027999991000000000000000000458	Mai 25	11,303	0,796	1,96
DE70027999991000000000000000000459	Mai 25	11,303	0,796	1,96
DE70027999991RG502627760000915855	Mai 25	11,302	0,7962	1,949
DE70027999994000000000000000001362	Mai 25	11,53	0,8077	1,421
DE70027999994000000000000000001365	Mai 25	11,53	0,8077	1,421
DE70027999998000000000000000000707	Mai 25	11,306	0,7922	2,068
DE70027999998RG501626530000791103	Mai 25	11,303	0,796	1,937
DE70034296476G0000000475101501Z1A	Mai 25	11,514	0,7871	1,054
DE70042899310UESTBACHSCHLEIFE0000	Mai 25	11,545	0,7961	1,2
DE70042899310UESTBACHSCHLEIFE0010	Mai 25	11,545	0,7961	1,2
DE70042899310UESTLOHMUEHLE00000000	Mai 25	11,548	0,7969	1,37
DE70044007745GMR00000000010012186	Mai 25	11,514	0,7874	1,059
DE70044007745GMR00000000010012187	Mai 25	11,514	0,7874	1,059
DE70044007751GMR00000000010004848	Mai 25	10,651	0,7619	3,372
DE70044007751GMR00000000010004861	Mai 25	11,511	0,7861	1,047
DE70044007751GMR00000000010004862	Mai 25	11,538	0,794	1,15
DE70044007751GMR00000000010004865	Mai 25	11,511	0,7859	1,041
DE700456990900SCHADERODESTAT8001	Mai 25	11,499	0,7996	1,248
DE70045699090KUEHNHAUSEN0STAT8002	Mai 25	11,531	0,8077	1,42
DE700456990920FRIENSTEDT0STAT8009	Mai 25	11,549	0,7964	1,194
DE70045699094000MOLSDORF0STAT8007	Mai 25	11,548	0,7966	1,205

Report: Gasbeschaffenheiten je Ausspeise-Messstelle

Zeitraum: 01.05.2025/06 - 01.06.2025/06

Erstellt: 11.06.2025 15:18:41

Zaehlpunkt (MeLo)	Monat	Hseff	Rhon	CO2
DE700456990950SCHWERBORN0STAT8003	Mai 25	11,525	0,8072	1,406
DE7004569909800HOCHSTEDT0STAT8006	Mai 25	11,523	0,8012	1,291
DE700456990980KERSPLEBEN0STAT8004	Mai 25	11,526	0,8058	1,379
DE700456990980VIESELBACH0STAT8005	Mai 25	11,521	0,8042	1,346
DE70077599610GX1100030000X0000000	Mai 25	11,423	0,8	1,669
DE70077599610GX1120910210X0000000	Mai 25	11,417	0,7999	1,659
DE70077599610GX1120910210X0000001	Mai 25	11,417	0,7999	1,659
DE70077599610GX1250000000X0000000	Mai 25	11,438	0,8001	1,575
DE700783994270210000000000000001	Mai 25	11,542	0,7932	1,137
DE700783994270210000000000000002	Mai 25	11,542	0,7932	1,137
DE700783994270210000000000000003	Mai 25	11,254	0,7979	1,605
DE700783994270210000000000000004	Mai 25	11,254	0,7979	1,605
DE700783994280200000000000000003	Mai 25	11,543	0,7925	1,132
DE7007989994723100000000000115334	Mai 25	11,529	0,8075	1,415
DE70079899947SWLHDMERX1HD10000ETE	Mai 25	11,531	0,8074	1,416
DE70079899947SWLHDMERX2HD10000ETE	Mai 25	11,531	0,8074	1,416
DE70079899947SWLHDNORD1MD05000ETE	Mai 25	11,532	0,8071	1,413
DE70082999706G0GROSSFURRA00000001	Mai 25	11,489	0,7952	1,16
DE70091107973GRSUESACHSWITZSCH1HS	Mai 25	11,536	0,79	1,091
DE70091107973GRSUESACHSWITZSCH2RS	Mai 25	11,536	0,79	1,091
DE700916067210000000000040192405	Mai 25	11,534	0,7872	1,037
DE70092007407G1100054000099000000	Mai 25	11,472	0,7781	0,93
DE70092007407G1210226000099000000	Mai 25	11,552	0,7976	1,212
DE70092007407G1400604000099000000	Mai 25	11,553	0,7969	1,202
DE70092007407G1400604000099000010	Mai 25	11,553	0,7969	1,202
DE70092999734G10022200000000000001	Mai 25	11,549	0,8006	1,338
DE70092999734G10022200000000000002	Mai 25	11,549	0,8006	1,338
DE70092999734G10024200000000000000	Mai 25	11,513	0,7929	1,271
DE70092999734G10044200000000000000	Mai 25	11,539	0,8006	1,264
DE70092999734G10044200000000000001	Mai 25	11,539	0,8006	1,264
DE70092999734G11100500000000000000	Mai 25	11,538	0,8009	1,265
DE70092999734G11120500000000000000	Mai 25	11,54	0,801	1,265
DE70092999734G11120500000000000001	Mai 25	11,54	0,801	1,265
DE70092999734G11120500000000000003	Mai 25	11,538	0,8009	1,265
DE70092999734G17704200000000000000	Mai 25	11,539	0,8009	1,265
DE700976076070002500150000000G000	Mai 25	11,534	0,7875	1,043
DE700976076070002500150000000G001	Mai 25	11,534	0,7875	1,043
DE700976076070002500339000000G001	Mai 25	11,532	0,7874	1,044
DE700976076070002500339000000G002	Mai 25	11,532	0,7874	1,044
DE70105599510G0000000000000167714	Mai 25	11,173	0,7887	2,203
DE70106098617010000000000HESPG001	Mai 25	11,473	0,7916	1,136
DE70106098617010000000000HESPG002	Mai 25	11,473	0,7916	1,136
DE70106098617010000000000SESPG001	Mai 25	11,546	0,8126	1,55
DE70106098617010000000000SESPG002	Mai 25	11,546	0,8126	1,55
DE701069075540NKP0000000000000AGA	Mai 25	11,532	0,7875	1,04
DE701069075540NKP000000000HERMSDORF	Mai 25	11,532	0,7875	1,04
DE701069075540NKP000000ROBENRUSITZ	Mai 25	11,534	0,7876	1,043
DE701069075540NKP000000TREBNITZGWG	Mai 25	11,532	0,7874	1,039
DE701069075540NKP000000TREBNITZORT	Mai 25	11,532	0,7874	1,039
DE701069075540NKP000000CRETZSCHWITZ	Mai 25	11,532	0,7875	1,04
DE701069075540NKP000000DORNAROEPESEN	Mai 25	11,533	0,7875	1,041
DE70108799734G70321300000000000000	Mai 25	11,539	0,8003	1,257
DE70108799734G70321300000000000001	Mai 25	11,539	0,8003	1,257